


**VOLA 500, 590, 500T1**  
**VOLA 2500**  
**VOLA SC1, SC3, SC5, SC7, SC9, SC10, SC12**

Fitting instruction  
 Montageanleitung  
 Monteringsvejledning  
 Monteringsvægledning  
 Montage hanleiding  
 Manuel de montage



GODKENDT  
TIL DRILLEKVVAND

04/00027  
 04/00038



www.vola.com

500 - 2500\_V0\_40998137  
 02-10-2023








5 705230 492964

# **Data, 3 Bar /43.5 Psi:**

|         | l/min. | Gal/min. |
|---------|--------|----------|
| 500:    | 14,5   | 3.8      |
| 590:    | 9,0    | 2.4      |
| 500-T1: | 11,0   | 2.9      |
| 2500:   | 18,7   | 4.9      |
| SC1:    | 18,7   | 4.9      |
| SC5, 7: | 18,0   | 4.8      |
| SC9:    | 11,0   | 2.9      |

Max. 65°C, 150°F


**500/2500:**





5




6




6A




6B



7




7A




1

500:



500: Ø10  
500US: Ø3/8"



VR277K: VR22, VR269, VR277  
VR297: VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296  
VR434: 2xVR444, VR445, 2xVR455, VR502  
NR.10: VR20, VR22, VR273, VR294, VR295



**vola**  
Lunavej 2  
DK-8700 Horsens  
Tlf : + 45 7023 5500  
sales@vola.com  
www.vola.com

**VOLA 500/M/L**

Date  
Jan. 23

Rev.  
4

Sheet  
**SB 4.1**